


HIGHNESSTM
One of a kind

19" SURGICAL DISPLAY


- ◆ High Definition
- ◆ Gastroscope Monitor
- ◆ CE, ISO, RoHS Compliant



Applications:

- ENT Endoscopy
- Uro-Endoscopy
- Ophthal Imaging
- Upper GI Endoscopy
- Laparoscopy
- USG Imaging

MHSD-1926



TECHNICAL SPECIFICATIONS

Model	MHSD-1926
Screen Technology	TFT AM LCD
Active Screen Size (Diagonal)	19"
Active Screen Size (H x V)	376.32 x 301.06 mm
Aspect Ratio	4:3
Resolution	1280 x 1024
Pixel Pitch	0.294 mm
Viewing Angle (H, V)	178°, 178°
Maximum Luminance	300 cd/m ²
Contrast Ratio	1000:1
Color	16.7 Millions
Response Time (Tr + Tf)	25 ms
Video Inputs Signals	Digital :- DVI Analog :- VGA, Composite Video & S-Video
Interface Port	Digital :- DVI Analog :- 15 Pin D-Sub, RCA & Mini Din
Power Requirements	AC 240V
Power Consumption	55W Max
Power Saving	EPA, VESA Standard
Operating Temperature	0 to +50°C
Storage Temperature	-20 to +60°C
Relative Humidity	10% to 90% (Non Condensing)
Housing Color	White
Housing Material	Metal
Mounting Standard	VESA (100 mm)
Warranty	2 Years
Applications	ENT Endoscopy, Uro-Endoscopy, Opthal Imaging, Upper GI Endoscopy, Laparoscopy, USG Imaging



HIGHNESS MICROELECTRONICS PVT. LTD.

101-103, Elecon Chambers, Sakinaka MTNL Road,
 Andheri (E), Mumbai - 400 072. India.
 +91 22 2850 7123 | +91 22 4026 4263
www.highnessmicro.com
sales@highnessmicro.com



VOL M-L 1.0, June 2019

An ISO 9001:2015 Company. Copyright @ 2019 Highness Microelectronics Pvt. Ltd. All Rights Reserved.

All images are for representation purpose only. All images and content are copyrighted & copy, reprint or reproduction without written permission prohibited.